


LOREME

INSTRUMENTATION & TEMPERATURE





Temperature transmitter

Custom Electronic

ISO Ex

ETHERNET DATA CENTER

New sensor current Sensor

Custom Solution

Many Customers in many area
More then ~3000 customers in World




LOREME

INSTRUMENTATION & TEMPERATURE

- Office Area

- Electronic Area

- Sensor Area





Société LOREME

LinkedIn : Loreme

commercial@loreme.fr

03 87 76 32 51

12 Rue des Potiers d'Étain
57 070 Metz



LOREME

INSTRUMENTATION & TEMPERATURE

🇫🇷 🇬🇧

[Extranet](#)
[Home](#)
[Company](#)
[Download](#)
[Contact](#)

PRODUCTS

ELECTRONIC INSTRUMENTATION

LOREME electronic catalogue

Transmitter / isolator

Thermometer hygrometer

Indicators and display

AC DC electric measurement

Threshold relay - Protection relay

Power Supply and DC-DC converter

Remote input output

Special functions

Specific customer studies

Not recommended for new design

Software and Accessories

RoHS WEEE REACH compliance

TEMPERATURE SENSORS

head sensors

mineral insulated sensors

cable sensors

special sensors

ELECTRONIC PRODUCTS RANGE

Electronic product overview

RACK POWER SUPPLIES

The WRKmod series is a range of AC-DC power supplies, DC-DC converter, DC-AC or AC-AC inverters. These high density and high power modular switching power supplies are suitable for a wide range of custom applications.

THERMO HYGROMETER BAROMETER ETHERNET

With built-in relative humidity and temperature sensors, the Sai60 is designed for controlled atmosphere rooms. Connected to the Ethernet LAN over Modbus-TCP or SNMP, The Sai60 is ideally suited for monitoring indoor climate

MONITORING AND PROTECTION RELAY

RPL23 monitoring relay provide a maximum degree of protection for machines, plants and systems. This means that line and voltage faults are detected and the appropriate response is initiated before significant damage can occur.

Sensor current / voltage type : Rogowski for GE



Old technology sensor with wire







Application Customers



NEW
PRODUCT

New sensor with new design (2025 product)



Complete independant system of acquisition for



Room acquisition by LOREME



SHL10 Humidity sensor




SPI1000 → temperature Sensor



SNL1000 Level Sensor




TRT200 Acquisition data
GSM71 Communication GSM





PEL400 Transformer heat to voltage


Room acquisition





ICL70 Ethernet / RS485 Gateway for GE



Test in laboratory LOREME for CEM control



Wireless solution for transmission information between sensor




Solution for Data Center

Atos

GESTION ENERGETIQUE DES DATA CENTER

LOREME

Synoptique d'une installation pour deux salles



Custom solution

Data Box Acquisiton



L C I E

Data Power supply



V in : 230V AC
V out : 0 to 250 V DC

